



**e-STEELstudio Ltd.**  
field verification + detailing + shop drawings

APPROVAL REVIEW AUTHORITY:  
PLEASE REVIEW THIS DRAWING CAREFULLY.  
IT REPRESENTS OUR INTERPRETATION OF THE INTENT OF THE CONTRACT DOCUMENTS. HOWEVER, THE STEEL FABRICATOR AND THE STRUCTURAL STEEL DETAILER ASSUME NO RESPONSIBILITY FOR THE ACCURACY OF THE INFORMATION SHOWN ON THIS DRAWING. THIS IS THE RESPONSIBILITY OF THE BUYER.  
UNLESS NOTED TO THE CONTRARY ON THIS DRAWING WHEN IT IS RETURNED FROM APPROVAL, IT WILL BE ASSIGNED ALL INFORMATION SHOWN HEREIN AS THE APPROVAL OF THE APPROVAL AUTHORITY.  
SUBSEQUENT CHANGES TO INFORMATION SHOWN ON THESE DRAWINGS AFTER FIRST SUBMISSION WILL BE CONSIDERED CONTRACT CHANGES.  
Adapted by the National Institute of Steel Detailing, 1977.

REV.	DESCRIPTION	DATE	DWN	CHK
<b>GENERAL NOTES</b>				
MATERIAL: AB=A307; W-SHAPE=A992; CHANNEL, ANGLE, PLATE=A36; HSS AND PIPE =A500 GR-B				
HOLES: 13/16 DIA. UN		CONNS: 3/4" bolts A325SC-TC		ELECTRODES: E70XX
SURFACE PREP: AND PAINT: no paint				REF. DRG. S4.01-S4.03
DESCRIPTION: ANCHOR BOLTS - DETAILS				
PROJECT NAME LOCATION				
DRAWN BY:		DRAWING FILE MODIFY	DATE 12/03/2008	
		DRAWN BY ESG	DATE 11/13/2008	
		CHKD BY PO	DATE 11/14/2008	
		JOB No.	DRG. No. 2-AB	