

A - A
E2

e-STEELstudioLtd.
field verification + detailing + shop drawings

REV.	DESCRIPTION	DATE	DWN	CHK
5	For Fabrication - changes per survey	05/20/09	ESG	

GENERAL NOTES

MATERIAL: AB=A307; W-SHAPE=A992; CHANNEL, ANGLE, PLATE=A36; HSS AND PIPE =A500 GR-B

HOLES: 13/16 DIA. U/N | CONN'S: 3/4" bolts A325SC-TC | ELECTRODES: E70XX

SURFACE PREP. AND PAINT: no paint | REF. DRG.

DESCRIPTION: DETAILS/SECTIONS - BRACING 2 -1ST AND 2ND FLOOR

PROJECT NAME
LOCATION

DRAWN BY: E-STEEL GROUP LLC www.e-steelgroup.com

DRAWING FILE MODIFY	DATE 05/27/2009
DRAWN BY ESG	DATE 12/01/2008
CHKD. BY PO	DATE 12/02/2008
JOB No.	DRG. No. E12

WE HAVE SUBMITTED THE SHOP DRAWINGS WITH QUESTIONS, THAT MUST BE ANSWER. PLEASE HAVE ALL THESE QUESTIONS ANSWERED PRIOR TO RETURNING THE DRAWINGS TO US. FAILURE TO DO THIS WILL ONLY RESULT YOUR IN DELAYING THE JOB. BY REQUIRING US TO ISSUE A REQUEST FOR INFORMATION. YOUR COOPERATION IS REQUIRED. IN ORDER TO DELIVER THIS PRODUCT IN A TIMELY MANNER.

APPROVAL / REVIEW AUTHORITY:
THIS SHOP DRAWING HAS BEEN CAREFULLY
IT REPRESENTS OUR INTERPRETATION OF THE INTENT OF THE CONTRACT DOCUMENTS. HOWEVER, THE STEEL FABRICATOR AND THE STRUCTURAL STEEL DETAILER ASSUME NO RESPONSIBILITY FOR THE ACCURACY OF THE INFORMATION SHOWN ON THIS DRAWING. THIS IS THE RESPONSIBILITY OF THE BUYER.

UNLESS NOTED TO THE CONTRARY ON THIS DRAWING WHEN IT IS RETURNED TO US, IT WILL BE ASSUMED THAT THE SHOP DRAWING INFORMATION SHOWN HEREIN HAS THE AFFIRMATION OF THE APPROVAL AUTHORITY.

SUBSEQUENT CHANGES TO INFORMATION SHOWN ON THESE DRAWINGS AFTER FIRST SUBMISSION WILL BE CONSIDERED CONTRACT CHANGES.

Adopted by the National Institute of Steel Detailing, 1977