



e-STEELstudioLtd.
field verification + detailing + shop drawings

APPROVAL / REVIEW AUTHORITY:
PLEASE REVIEW THIS DRAWING CAREFULLY.
IT REPRESENTS OUR INTERPRETATION OF THE INTENT OF THE CONTRACT DOCUMENTS. HOWEVER, THE STEEL FABRICATOR AND THE STRUCTURAL STEEL DETAILER ASSUME NO RESPONSIBILITY FOR THE ACCURACY OF THE INFORMATION SHOWN ON THIS DRAWING. THIS IS THE RESPONSIBILITY OF THE BUYER.
UNLESS NOTED TO THE CONTRARY ON THIS DRAWING WHEN IT IS RETURNED FROM APPROVAL, IT WILL BE ASSUMED THAT ALL INFORMATION SHOWN HEREIN HAS THE AFFIRMATION OF THE APPROVAL AUTHORITY.
SUBSEQUENT CHANGES TO INFORMATION SHOWN ON THESE DRAWINGS AFTER FIRST SUBMISSION WILL BE CONSIDERED CONTRACT CHANGES.
Adapted by the National Institute of Steel Detailing, 1977.

-F	Railing redesign and stairs adjustment	08/04/08		
-C	For Approval	4/28/08		
REV.	DESCRIPTION	DATE	DWN	CHK
GENERAL NOTES				
MATERIAL: AB=A307; W-SHAPE=A992; CHANNEL, ANGLE, PLATE=A36; HSS AND PIPE=A500 GR-B				
HOLES: 13/16 DIA. UNL		CONN'S: 3/4" DIA BOLTS	ELECTRODES: E70XX	
SURFACE PREP:		REF. DRG. STAIRS #1A		
AND PAINT:				
DESCRIPTION: STAIRS # 1A - EL: 14'-8", 27'-4"				
PROJECT NAME				
LOCATION				
DRAWN BY: e-STEELstudio Ltd. www.e-steelstudio.com		DRAWING FILE	DATE	
		MODIFY	07/30/2008	
		DRAWN BY	DATE	
		05/01/2008		
		CHKD. BY	DATE	
		JOB No.	DRG. No.	2-ES